COA Version 01; Issued 07 July 2020

Certificate of Analysis SALSA[®] MLPA[®] Probemix P272 COL1A2

MRC-Holland

| Catalogue # | P272-025R, P272-050R, P272-100R | |
|-----------------------------------|--|---------------------|
| Product name | Probemix P272 COL1A2 | |
| LOT | C1-1219 | |
| Σ | 25, 50, or 100 reactions. | |
| Shipping conditions | Dry ice or cooling elements. | |
| | Store upon arrival between -25°C and -15°C. | |
| Σ | Expiration date: December 2024, when stored at recommended conditions. This product should not be frozen/thawed more than 25 times. | |
| Use | This product has been developed to determine the DNA copy number of the human <i>COL1A2</i> gene, as described in table 1 and 2 of the product description. This probemix is designed for use only in combination with SALSA MLPA reagent kits and Coffalyser.Net as described in the MLPA General Protocol. | |
| Quality control specifications | Sufficient distance between peaks, absence of extra or shoulder peaks, and completeness of hybridisation of each individual probe, as tested on Applied Biosystems and Beckman/SCIEX GeXP sequencers. Standard deviation of each individual probe ≤0.10, when tested on 23 different DNA samples of healthy individuals, extracted by various methods. Each individual probe meets reaction-specific criterial when tested on a single DNA sample under various experimental conditions. No DNA controls result in only five major peaks shorter than 121 nucleotides (nt): four Q-fragments at 64, 70, 76 and 82 nt, and one 19 nt peak corresponding to the unused portion of the fluorescent PCR primer. Non-specific peaks longer than 121 nt AND with a height <25% of the median of the four Q-fragments are not expected to affect MLPA reactions when sufficient (50-250 ng) sample DNA is used. | Test result PASS |

None of the ingredients are derived from humans, animals, or pathogenic bacteria. Based on the concentrations present, none of the ingredients are hazardous as defined by the Hazard Communication Standard. **A Safety Data Sheet (SDS) is not required for these products**: none of the preparations contain dangerous substances (as per Regulation (EC) No 1272/2008 [EU-GHS/CLP] and amendments) at concentrations requiring distribution of an SDS (as per Regulation (EC) No 1272/2008 [EU-GHS/CLP] and 1907/2006 [REACH] and amendments). If spills occur, clean with water and follow appropriate site procedures.

| More information: www.mlpa.com; www.mlpa.eu | | |
|---|--|--|
| | MRC-Holland bv; Willem Schoutenstraat 1 1057 DL, Amsterdam, The Netherlands | |
| E-mail | info@mlpa.com (information & technical questions); order@mlpa.com (orders) | |
| Phone | +31 888 657 200 | |



Certificate of Analysis SALSA MLPA Probemix P272-C1 COL1A2 sample picture




Figure 1. Capillary electrophoresis pattern from a sample of approximately 50 ng human male control DNA analysed with SALSA MLPA Probemix P272 COL1A2 (C1-1219).

This lot was certified by MRC-Holland on 07 July 2020.

This certificate is a declaration of analysis at the time of the manufacturing process. All assays were run in compliance with manufacturer's instructions for use.

Implemented changes in the COA

Version 01 – 07 July 2020 (04)

- Not applicable, new document.