

# Certificate of Analysis

## Appendix I

### SALSA MC002 SMA Newborn Screen kit

SALSA MC002 probemix (brown cap)		
Lot number	Release date	Expiration date
A-0522	27-Jun-2022	2024-May
A-0822	15-Sep-2022	2024-Aug
A-0922	21-Oct-2022	2024-Sep
A-1022	16-Nov-2022	2024-Oct
A-1122	21-Dec-2022	2024-Nov
A-1222	16-Apr-2024	2025-Dec
A-0323	20-Apr-2023	2025-Mar
A-0523	25-Jul-2023	2026-May
A-1023	27-Nov-2023	2026-Oct

SALSA MC Polymerase (red cap)		
Lot number	Release date	Expiration date
0521	8-Jun-2021	2024-May
SM-1021B	18-Nov-2021	2024-Oct
SM-0922B	5-Oct-2022	2025-Sep
SM-1022A	9-Nov-2022	2025-Oct
SM-1122B	15-Nov-2022	2025-Nov
SM-0423B	2-May-2023	2026-Apr
SM-0923B	5-Oct-2023	2026-Sep

# Certificate of Analysis

## Appendix I

### SALSA MC002 SMA Newborn Screen kit

SD074 (blue cap)		
Lot number	Release date	Expiration date
S01-0320	1-Mar-2021	2025-Mar
S01-0621	23-Feb-2022	2026-Jun
S01-1222	11-Apr-2023	2027-Dec

SD075 (blue cap)		
Lot number	Release date	Expiration date
S01-0320	1-Mar-2021	2025-Mar
S01-0621	23-Feb-2022	2026-Jun
S01-1222	20-Jun-2023	2027-Dec

#### Implemented changes in the Certificate of Analysis Appendix I

Version 25 - 16 April 2024

- SALSA MC002 Probemix lot A-1222 added to the document.
- Expiry date of lots A-0523 and A-1023 updated.
- Removed all product lots with expiration date till 2024-Mar.

Version 24 - 27 November 2023

- SALSA MC002 Probemix lot A-1023 added to the document.

Version 23 - 5 October 2023

- SALSA MC Polymerase lot SM-0923B added to the document.